

The most effective universal formula on the market

A mix of biocides with different mechanisms of action prevents bacterial resistance and superbug formation².

Multi-purpose

Acts as a disinfectant and detergent, replacing the need for different types of wipes and surface cleaners.

Dermatologically tested

No sore or dry hands with frequent use.

Proven to be bactericidal, virucidal, fungicidal and tuberculocidal

Includes MRSA, *Acinetobacter*, VRE, *Klebsiella*, *Pseudomonas*, TB, Norovirus, Hepatitis B & C and many more¹.

CE certified class IIa medical devices

The bucket, tub, 200 wipe pack, 50 clip pack, 50 adhesive back and maceratable wipes conform to the Medical Device Directive as class IIa devices.

No damage to surfaces or equipment

Ideal for use on mattresses and safe to use on many types of rubber, plastic and metal.

Simple, easy and reliable

No dilution errors: the pre-measured dose is consistently the correct concentration.

Cost effective

Saves money by replacing multiple cleaning products.

UNIVERSAL FORMULA

Universal's unique, patented formula makes it the most effective wet wipe on the market. The combination of biocides act as a powerful high grade disinfectant to ensure no microbial resistance can develop over time².



Antimicrobial activity

Powerful patented biocidal formulation based on a synergistic mix of quaternary ammonium compounds and a polymeric biguanide – each with a completely different mechanism of action. This ensures the widest spectrum of activity whilst mediating against resistance.

The formulation includes biocidal performance against:

GRAM-POSITIVE BACTERIA

Including: *Staphylococcus aureus* and MRSA, Enterococci and VRE.

GRAM-NEGATIVE BACTERIA

Including: Pseudomonas, E.coli, Acinetobacter, Klebsiella and Salmonella.

FUNG

Including: Aspergillus, Candida, Penicillium.

MYCOBACTERIA

Including: *Mycobacterium terrae* and *Mycobacterium bovis*.

ENVELOPED VIRUSES

Including: Herpes simplex 1 & 2, Influenza H1N1 & H5N1, Hepatitis B & C and HIV.

NON-ENVELOPED VIRUSES

Including: Norovirus and Rotavirus.

Contact times

Contact time is the time needed for a disinfectant to be in contact with a microorganism to kill it.

If a disinfectant claims to kill 99.9% of MRSA in 1 minute, in order for it to kill the bacteria, the surface needs to be visibly wet for at least 1 minute. This allows the disinfectant to be in contact with the microorganism.

It is important when using disinfectant wipes to leave the surface to air dry and never dry the surface manually.

Unrealistic contact times result in impractical products, which may not be effective under realistic conditions. Clinell perform rigorous tests to ensure all contact times and kill claims are achievable in real world conditions.

Clip pack 50s

Working with the 'Design Bugs Out' initiative, we have taken our bestselling Universal Wipes and given them an integrated clip, perfect for keeping wipes conveniently accessible, off the floor, and nearby whenever you need them.

The integrated clip is reinforced and angled for a firm grip and securely fits on to BP machine stands, porters' chairs, bed frames, monitor stands, trolleys and many more.

BACTERIA EN13727 Acinetobacter baumanni EN13727 Enterococcus faecalis Enterococcus faecium (VRF) FN13727 EN13727 Enterococcus hirae FN14561 Escherichia coli FN13727 Klehsiella pneumoniae FN13727 Methicillin Resistant Staphylococcus aureus FN1276 Pseudomonas aeruginosa FN13727 FN14561 Staphylococcus aureus EN13727 FN14561 Vibrio cholerae EN1276 MYCOBACTERIA Mycobacterium bovis FN14348 Mycobacterium terrae EN14348 EN14563 FLINGI Aspergillus niger FN13697 EN14562 Candida albicans EN13727 EN14562 **VIRUSES** H1N1 and H5N1 ASTM E1052 Hepatitis B Hepatitis C EN14476 EN14476 EN14476



CLINELL UNIVERSAL WIPES 020 7993 0030 info@clinell.com

Wipes for the disinfection and cleaning of non-invasive medical devices.



Non-invasive medical devices – surface and equipment cleaning

Clinell Universal CE Marked Wipes can be used to clean and disinfect the following surfaces and equipment. These surfaces are rarely cleaned and have been shown to cause infection³⁻⁶.

- Ultrasound transducers
- Pulse oximeter probes
- Doppler probes
- Stethoscopes
- ECG machines
- Incubators
- Blood pressure machines
- Radiology equipment
- Blood pressure cuffs
- Monitors

(6 0473

CE certified medical devices - the bucket (and refill), tub (and refill), Spray, 50 packs, 200 wipe pack and maceratable wipes are all class IIa medical devices.


How to clean surfaces effectively



Perform a risk assessment, wear recommended PPE. Take one wipe from the pack.




Working from clean to dirty, wipe in an 'S' shaped pattern, taking care not to go over the same area twice.



Change wipe if it becomes dry or soiled and dispose of in the appropriate waste bin. Let the surface air dry.



Pinch and turn to open nozzle. Pull trigger and spray evenly onto the surface



Working from clean to dirty, wipe in an 'S' shaped pattern, taking care not to go over the same area twice.



Let the surface air dry.

info@clinell.com 020 7993 0030 CLINELL UNIVERSAL WIPES

GENERAL SURFACE AND EQUIPMENT CLEANING

Proven to kill at least 99.999% of germs and is effective from 10 seconds.



Clinell Universal Wipes 40 pack can be used to disinfect general surfaces and equipment. If unsure please contact the Infection Prevention and Control Team. The following surfaces are examples of use (this is not an exhaustive list):

- Chairs
- Keyboards
- Light switches
- Food trays

- Desks
- & Accessories

- Door handles
- Bedside tables - Televisions

- Lanyards⁷ - Lockers
- Walking frames - Wheelchairs
- Phones

- Mattresses - Worktops
- Tray tables
- Floors
- Hand rails

- Trolleys
- Sinks and taps
- Shower cubicles

PRODUCT	UNIT OF ISSUE	ORDER CODE	NHSSC
Universal Wipes 40	Pack of 40	CW40	VJT119
Universal Wipes 50 (without Clip) *	Pack of 50	CW50	VJT449
Universal Wipes Clip Pack 50 *	Pack of 50	CWCP50	VJT253
Universal Wipes Adhesive Back 50 *	Pack of 50	CWAB50	VJT518
Universal Wipes Tub 100 *	Tub of 100	CWTUB100	VJT223
Universal Wipes Tub Refill 100 *	Refill of 100	CWTUB100R	VJT224
Universal Wipes Maceratable 140 *	Pack of 140	CUSWM140	VJT128
Universal Wipes 200 *	Pack of 200	CW200	VJT118
Universal Wipes Bucket 225 *	Bucket of 225	CWBUC225	VJT190
Universal Wipes Bucket Refill 225 *	Refill of 225	CWBUC225R	VJT192
Universal Spray *	500ml single unit	CDS500	-
Universal Wall Mounted Dispenser	CW200/CUSWM140	CWD	-
Universal Wall Mounted Dispenser	CWTUB100	CWTUB100D	-
Universal Wall Mounted Dispenser	CWBUC225	CWBUC225D	-

Clinell's industry leading aftercare and training services

Including revolutionary training kit, specialised nurse trainers, educational materials, customised posters and dispenser installation. Contact us on:

020 7993 0030 or info@clinell.com.

REFERENCES

- 1. According to EN 14476 and EN 13727.
- 2. Bloomfield SF. Significance of biocide usage and antimicrobial resistance in domiciliary environments. Journal of Applied Microbiology. 2002;92(s1).
- 3. Sanders S. The stethoscope and cross-infection. Br J Gen Pract. 2003 Dec;53(497):971-2.
- 4. Cohen SR, McCormack DJ, Youkhana A, Wall R, Bacterial colonization of stethoscopes and the effect of cleaning. J Hosp Infect, 2003 Nov:55(3):236-7.
- 5. Buus-Frank, M.E. Hands that heal-hands that harm. Advances in Neonatal Care 2004. Oct;4:5:251-255.
- 6. Bureau-Chalot F, Drieux L, Pierrat-Solans C, Forte D, de Champs C, Bajolet O. Blood pressure cuffs as potential reservoirs of extended-spectrum β-lactamase VEB-1producing isolates of Acinetobacter baumannii. Journal of Hospital Infection, 2004 Sep 30:58(1):91-2.
- 7. Lobaz S. Diddee R. Collins J. White D. Pathogenic colonisation of hospital badges and neck lanyards in the anaesthetic/theatre environment. Anaesthesia. 2012 Feb 1:67:44.

*CE 0473 Class IIa Medical Device

USE DISINFECTANTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

ALWAYS FOLLOW MEDICAL EQUIPMENT MANUFACTURER'S CLEANING PROCEDURES AND GUIDELINES.

