

Product Catalogue

ECG electrodes Defibrillation electrodes Neutral electrodes



Skintact®

ECG electrodes

Decades of experience and ongoing customer collaborations have made Skintact® ECG electrodes an industry standard.

Excellent quality ECG recordings are dependent on three main factors: good skin preparation, superior quality electrodes, and a continuous unbroken electrical pathway from the skin to the ECG machine.

Electrodes often have to perform under very strenuous conditions, therefore at Leonhard Lang we dedicate valuable time and attention to the design and construction of our electrodes; we then carefully select only the finest quality materials and component parts to produce them.

Uniquely, we design and build our own machines that are state of the art in manufacturing technology ensuring you quality products that are second to none. "Connect with quality" is our motto and our goal is to provide you with consistently reliable products.



Conductive Gels

Electrodes for short-term ECG significantly differ from those for long-term monitoring. Therefore, we have created a selection of conductive gels to meet the specific applications. These gels combine first-class response with reliable conduction quality with high skin-friendliness.



Aqua-Wet Gel = LIQUID GEL Our Aqua-Wet Gel ensures particularly

fast signal pick-up at the start of the ECG, regardless of skin preparation. Skintact® ECG electrodes with Aqua-Wet Gel are the best choice for short-term applications.



Aqua-Tac Gel = SOLID GEL

Skintact® ECG electrodes with Aqua-Tac gel are used for both long-term and short- term applications. They can be removed from the skin without leaving any residue.



Aqua-Set Gel = SOLID WET GEL

Our Aqua-Set Gel combines the advantages of liquid and solid gel. Its special formula guarantees excellent electrical conductivity. The water content of Aqua-Set Gel ensures rapid reduction of skin resistance.

Backing material

PE foam

Demanding conditions, such as use in emergency care or for stress tests challenge the stability and reliability of ECG electrodes. Leonhard Lang's PE foams are the right choice - they are impermeable to liquids and thus protecting the sensor and gel. The thin PE material allows maximum flexibility.

Microporous Tape

The skin-friendly, microporous tape adapts well to the contours of the body and thus increases wearing comfort. It also allows moisture to pass through. Skintact® ECG electrodes with microporous tape allow the skin to breathe and transpire – which is particularly important for long-term applications.

Soft Cloth Backing

Skintact® ECG electrodes made of soft cloth backing offer all the advantages of nonwoven electrodes, but with significantly increased elasticity. Thus, they adapt well to body movements. Electrodes made of soft cloth backing offer a high level of wearing comfort for long-term applications and adhere reliably even to active patients.

Clear Tape

The clear tape is transparent. The patient's skin can therefore be observed during the entire wearing period.

Clear tape reliably protects the sensor area against liquids.

All our Skintact® products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact® ECG electrodes comply with standard ANSI/AAMI EC12 for ECG electrodes, ISO 10993 for biocompatibility, and the European Medical Device Regulation (MDR).



Stress Test & Holter

Skintact® stress test electrodes with reinforced adhesive hold reliably. Even when patients transpire heavily. The PE foam backing is also impermeable to liquids. The ECG electrodes are therefore also suitable for echocardiograms.

Comfortable to wear

The particularly skin-friendly Skintact® ECG electrodes T-604 B and T-VO01 allow the skin to breathe and ensure excellent wearing comfort, especially during prolonged wear.

Easy to handle

The easy-to-open pouch and the peel-off aid of each Skintact® ECG electrode facilitate daily handling. On the Skintact® offset electrodes, the cables can be connected even more conveniently and reduce the risk of squeezing gel onto the electrode surface.

✓ Innovative electrode technology

The adhesive ring of the T-VO01 made of PE foam protects the gel area and provides additional adhesive strength. In combination with the offset connection it significantly reduces motion artifacts.

✓ The PVC-free variant

Like all Skintact ECG electrodes also the Skintact offset electrodes are PVC-free.

| | Code | Note | Recommended use | Backing | Adhesive | Gel | Dimensions |
|---|--------|---|----------------------------|---------------------|----------|------------|------------|
| until in a second of a second | T-V001 | Premium electrode with offset connection and with foam ring around gel surface; breathable backing material | Holter, Event Recording | Microporous Tape | •• | LIQUID GEL | 66 x 60 mm |
| *** | T-V002 | Premium electrode with offset connection and with foam ring around gel surface; breathable backing material. | Holter, Event Recording | Microporous Tape | •• | LIQUID GEL | Ø 72 mm |

| | Packaging | | |
|-------------------------|-----------|----------|-----------|
| FS-VB01 FS-50 T-604 | 30/pouch | 1200/box | 4800/case |
| B FS-VB04 | 30/pouch | 750/box | 3000/case |
| T-V001 T-V002 | 30/pouch | 300/box | 1800/case |



Resting ECG

Excellent Conductivity

Skintact® Easitabs provide reliable signals with the Aqua-Tac hydrogel. The Easitab FS-WB00 and FS-WA00 electrodes are particularly suitable for resting ECG especially under demanding conditions.

O Bonding safe and convenient

All Skintact® Easitabs feel soft and stick absolutely reliably. Nevertheless, they are removed after application without irritation or loss of hair.

Superior Safety

Proper use of Skintact® Easitabs eliminates cross infection whereas suction electrode bred bacteria and fungi.

| | Code | Note | Backing | Adhesive | Gel | Dimensions |
|--|-------------|--|-----------|----------|---------------|------------|
| Kallinact III Skinta | RT14 | Easitab, 10 pcs / card | Paper/PET | •• | SOLID WET GEL | 34 x 14 mm |
| March March 1900 1900 1900 1900 1900 1900 1900 190 | RT34 | Easitab, 10 pcs / card | Paper/PET | •• | SOLID WET GEL | 34 x 22 mm |
| Skintact Skint Skint Skintact Skintact Skintact Skint Skint Skint Skint Skint Skintact Skinta | RT74 | Easitab, 10 pcs / card | Paper/PET | •• | SOLID WET GEL | 34 x 26 mm |
| PARTIES DE L'ARREST DE L'ARRES | FS-WA00 /10 | Easitab, for particularly demanding conditions, 10 pcs / card | PE foam | ••• | LIQUID GEL | 45 x 32 mm |
| Skintact Bruit | FS-WB00 /10 | Easitab, for particularly demanding conditions, 10 pcs / card | PE foam | ••• | LIQUID GEL | 37 x 28 mm |
| System Common | FS-RB4 | With adapter for 4mm banana plug, 5 pcs / card | PE foam | ••• | LIQUID GEL | 44 x 28 mm |

| | Packaging | | |
|-----------------|-----------|----------|-----------|
| RT14 RT34 | 100/pouch | 500/box | 5000/case |
| RT74 FS-WA00 | 50/pouch | 500/box | 3000/case |
| /10 FS-WB00 /10 | 100/pouch | 500/box | 3000/case |
| FS-RB4 /5 | 50/pouch | 1500/box | 6000/case |



Monitoring

Adhere even better

Skintact® electrodes for monitoring ECG are available with standard adhesive or with reinforced adhesive – product names starting with "FS-".

Easy to handle


An easy-to-open pouch and the peel-off aid for easy use.

⊘ Water repellent

All foam ECG electrodes are impermeable to liquids and thus protect the sensor.

| | Code | Note | Backing | Adhesive | Gel | Dimensions |
|--|-------|--|---------------------|----------|------------|------------|
| BOOKE (BOOKE) BOOKE (BOOKE) | T-60 | More comfort for patients due to breathable backing material, ideal for long-term monitoring | Microporous Tape | •• | LIQUID GEL | Ø 60 mm |
| CONTROL CONTRO | W-601 | More comfort for patients due to breathable backing material, ideal for long-term monitoring | Soft Cloth | •• | SOLID GEL | Ø 50 mm |

| Packaging | | | | | |
|--|----------|----------|-----------|--|--|
| FS-521 F-601 F-TB1 CT-601 T-601 W-601 | 30/pouch | 1500/box | 6000/case | | |
| F-55 T-60 | 30/pouch | 1200/box | 4800/case | | |



Universal

Lower costs

Our Skintact® ECG electrodes on cards of 6 or 10 pieces offer the usual Leonhard Lang quality at reasonable prices.

⊘ Fast and comfortable

These electrodes come on cards of 6 or 10 pieces. A perforation makes two handy strips from one card.

\bigcirc Feel free to leave the gloves on

The label material overlaps the electrode and creates a lift tab which allows the clinical staff to handle the electrode easily even when wearing surgical gloves.

| | Code | Note | Backing | Adhesive | Gel | Dimensions |
|--|-----------|--|---------|----------|------------|------------|
| Christian Control of the Control of | FS-RG1/10 | Also available on card of 6 (FS-RG1/6) | PE foam | •• | LIQUID GEL | 41 x 32mm |
| Action of the control | FS-TC1/10 | Also available on card of 6 (FS-TC1/6) | PE foam | ••• | SOLID GEL | 41 x 35mm |

| | Packaging | | |
|--|-----------|----------|-----------|
| F-RG /6 F-TF /6 FS-TF /6 FS-RG /6 | 30/pouch | 1200/box | 4800/case |
| FS-RG1/10 FS-TC1/10 | 50/pouch | 1500/box | 6000/case |
| FS-RG1/6 FS-TC1/6 | 30/pouch | 1500/box | 6000/case |



MR-conditional & radiotranslucent

Ocarbon snaps save time and costs

MR-conditional Skintact® ECG electrodes are equipped with carbon snaps. This saves time and costs: If the electrodes have already been applied, they do not have to be removed before X-ray or MRI examinations.

Skintact® Tab ,N' Snap – Two connection systems

Skintact® Tab, N' Snap are equipped with two connection systems. This means that the electrodes do not need to be exchanged when the patient is handed over.

| | Code | Note | Backing | Adhesive | Gel | Dimensions |
|--|------------|---|---------|----------|------------|------------|
| Hand and the state of the state | FS -WA10C | Premium electrode with Tab'n'Snap connection, X-ray/MR conditional, 10 pcs/ card | PE foam | ••• | SOLID GEL | 32 x 45mm |
| preprints to the state of the s | FS-RGC /10 | Universal use for adults and children, X-ray/MR conditional, 10 pcs/ card | PE foam | ••• | LIQUID GEL | 41 x 32mm |

| | Packaging | | |
|---|-----------|----------|-----------|
| F-40C F-50C FS-50C | 30/pouch | 1200/box | 4800/case |
| F-401C F-601C W-130C /3 FS-RGC /10 | 30/pouch | 1500/box | 6000/case |
| FS -WA10C | 50/pouch | 1500/box | 6000/case |



Pediatrics & neonates

Size and adhesive for pediatrics

Skintact® ECG electrodes for pediatrics and neonates are available in smaller sizes and with a gentle adhesive.

With an optional carbon snap

Thanks to our wide product range, children's ECG electrodes are also available with the option of a carbon snap or a offset connector.

Pre-wired

For neonates, we offer pre-wired electrodes to avoid pressure necroses.

| | Code | Note | Backing | Adhesive | Gel | Dimensions |
|--|---------------|--|------------|----------|------------|------------|
| Tupis Sillar Skintact L Setup Joek Skintact Sillar 1985 Sillar | F-301 | for pediatrics and neonates | PE foam | •• | SOLID GEL | Ø 30 mm |
| American Sylvation S | F-VK01 | with offset connection | PE foam | •• | LIQUID GEL | 45 x 30mm |
| TOTAL TOTAL TOTAL TOTAL TOTA | W-401 | Breathable backing material | Soft Cloth | •• | SOLID GEL | Ø 40 mm |
| 000 | PD50-SF (150) | With pre-attached 50 cm copper leads with safety plug | Soft Cloth | •• | SOLID GEL | 24 x 23 mm |
| | PD50-SFC | With pre-attached 50 cm carbon leads with safety plug, suitable for use during x-ray | Soft Cloth | •• | SOLID GEL | 24 x 23 mm |

| | Packaging | | |
|---|-----------|----------|-----------|
| F-40 | 30/pouch | 1200/box | |
| F261 F301 F-401 T401 W-401 W-130C /3 | 30/pouch | 1500/box | |
| PD50-SF (150) PD50-SFC PD50-F4C | 3/pouch | 150/box | |
| F-VK01 | 50/pouch | 500/box | 3000/case |



Skintact®

Defibrillation electrodes

When every second counts, patients around the world can rely on our Skintact® defibrillation electrodes.



In emergency cases not only the clinician's skills are required but also reliable ranges of life saving products like defibrillation electrodes. These products must perform dependably, even under adverse conditions as every second may count. Leonhard Lang's engineering team has developed reliable and safe multifunctional defibrillation electrodes. They can be used for external defibrillation, non-invasive pacing, synchronized cardioversion and monitoring.

Advantages of Skintact® defibrillation electrodes:

- Overlapping gel elimination of tin edge exposure minimises the risk of burns
- Adhesion even on perspiring skin
- Maximum contact area and minimum impedance reduce thermal and mechanical stress on the skin
- Multifunctional the electrodes do not need to be changed for different applications.





Quality assurance Each set is tested individually.



Clear application instructions
Clear, two-color instructions for the
correct placement of the
electrodes.



Quick and easy

An extended peel-off aid facilitates
application and removal.

All our Skintact® products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact® Easibeat Multifunction Defibrillation electrodes meet the relevant clauses of IEC 60601-2-4 for Cardiac Defibrillators, and do comply with ISO 10993 for biocompatibility and the European Medical Device Regulation (MDR).



Easibeat Multifunctional Defibrillation electrodes for Adults

Used for external defibrillation, non-invasive pacing, synchronized cardioversion, and monitoring for adults and children.

| | Code | Connector compatible with | Cable length |
|--|--------|--|--------------|
| | DF20N | Physio – Control: Lifepak 12, Lifepak 15, Lifepak 20/20e, Lifepak 500, Lifepak 1000, Comen S1, Comen S5, Comen S8 | 1,2 m |
| | DF20NC | Physio – Control – preconnect: Lifepak 12, Lifepak 15, Lifepak 20/20e, Lifepak 500, Lifepak 1000 | 1,2 m |
| | DF27N | Philips Heartstart: FR2, FR2+, FR3 (electrode self-test is not supported) With adapter cable M3508A or With adapter cable M3507A and adapter 05- 10200: Philips Heartstart MRx, XL, XL+ / Efficia DFM100 | 2,0 m |
| The same of the sa | DF28N | Zoll: E Series, M Series, R Series, X Series | 1,2 m |
| | DF28NC | Zoll – preconnect: E Series, M Series, R Series, X Series | 1,2 m |
| | DF25N | Schiller: Schiller FRED, DG1002, DG3002, DG2000EDOS | 2,0 m |
| The state of the s | DF43N | Nihon Kohden: With pad adaptor JC-755V: TEC-5500 Series, TEC-7600 Series, TEC-7700 Series With pad adaptor JC-855V: TEC-8300 Series | 2,0 m |
| 100 | DF26N | Philips: With adapter cable M3507A: Philips HeartStart MRx, XL, XL+, Efficia DFM100 | 1,2 m |

| | Packaging | | |
|--|-----------|--------|---------|
| all SKINTACT® Easibeat Multifunction Defibrillation electrodes | 1/pouch | 10/box | 60/case |



Easibeat Multifunctional Defibrillation electrodes for pediatrics

Used for external defibrillation, non-invasive pacing, synchronized cardioversion and monitoring of pediatric patients.

| | Code | Connector compatible with | Cable length |
|--|-------|--|--------------|
| | DF31G | Physio – Control: Lifepak 12, Lifepak 15, Lifepak 20/20e | 1,2 m |
| No. | DF32G | Philips Heartstart: With adapter cable M3508A or With adapter cable M3507A and adapter 05- 10200: Philips Heartstart MRx, XL, XL+ / Efficia DFM100 | 1,2 m |
| Total State of the | DF30G | Zoll: E Series, M Series, R Series, X Series | 1,2 m |
| The state of the s | DF37G | Nihon Kohden: With pad adaptor JC-755V: TEC-5500 Series, TEC-7600 Series, TEC-7700 Series With pad adaptor JC-855V: TEC-8300 Series | 2,0 m |

| | Packaging | | |
|--|-----------|--------|---------|
| all SKINTACT® Easibeat Multifunction Defibrillation electrodes | 1/pouch | 10/box | 60/case |



Especially in electrosurgical procedures, it is important that electrodes and accessories provide absolute safety.



Maximising the full potential of advanced electrosurgery in today's market, not only requires the surgeon's skills but also a reliable rang of active and passive accessories. These accessories should offer safety and comfort without compromise to both patient and clinican. Leonhard Lang's range of Skintact Cool Contact Electrosurgical Neutral electrodes and pencils provide the highest degree of safety.

Advantages of Skintact® neutral electrodes:

- Skintact® Cool Contact neutral electrodes are available for adults and children, split and unsplit, with or without a preattached cable.
- The unique overlapping gel technology minimizes the risk of burns due to elimination of aluminum edge exposure.
- The round leading edge geometry of universal Neutral electrodes disperses current more efficiently thus maintaining a cooler interface between patient and neutral electrode.
- The peel-off aid allows easy removing from its cover or the patient's skin
- The flexible, thin foam of the RS and RO series and the lowprofile fabric of the WR series are impermeable to liquids. They adapt to the body surface and provide safety.
- Ouplex labels reduce the documentation effort.





All our Skintact® products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact® Cool Contact Electrosurgical Neutral electrodes meet the relevant clauses of IEC 60601-2-2 for high frequency surgical equipment, and do comply with ISO 10993 for biocompatibility and with the Medical Device Directive (MDD). The transition to comply to the European Medical Device Regulation (MDR) is initiated and will be performed soon.



Neutral electrodes

| | Code | Туре | Size | Weight Limit | Conductive Area |
|---|----------------|-------|-----------|--------------|-----------------|
| 1 | WR21 WR21/5 | split | universal | > 5 kg | 90 cm² |
| | RS25 RS25/5 | split | adult | > 15 kg | 118 cm² |

Neutral electrodes with cables

| | Code | Туре | Size | Weight Limit | Conductive Area |
|----------|-----------|-------|------------|------------------|---------------------|
| 0 | RO21A30 | split | universal | > 5 kg | 107 cm² |
| | WR21A30 | split | universal | > 5 kg | |
| 0 | RS25A30 | split | adult | > 15 kg | 118 cm² |
| © | RS27A30 | split | adult | > 15 kg | 120 cm ² |
| | RS26A30** | split | paediatric | 5 - 15 kg | 66 cm ² |

^{*} On request we also offer Neutral electrodes for specific types with 5m cable. ** Power & Current Information: maximum 120 Watt

| Packaging | | | | |
|--|---------|--------|--|--|
| for all SKINTACT® Neutral electrodes | 1/pouch | 50/box | | |
| for all SKINTACT® Neutral electrodes with Code /5 | 5/pouch | 50/box | | |



Pencils & Tip Cleaner

- Single use eliminates risk of cross infection
 Sterile, easy to open packaging
- More cost effective than cleaning reusable versions

| | Code | Info | Cable length | Conne ctor | Quantity per box |
|-----|---------|--|--------------|---------------------|------------------|
| 954 | HCP-01 | Sterile Fingerswitch Pencil, standard blade | 3 m | 3 Pins at 4 mm each | 50 pcs |
| 00 | HCP-02 | Sterile Fingerswitch Pencil, standard blade | 3 m | 1 Pin at 5 mm | 50 pcs |
| 3 | HCP-05 | Sterile Fingerswitch Pencil, standard blade | 5 m | 3 Pins at 4 mm each | 50 pcs |
| | TC 1001 | Sterile Tip Cleaner | | | 100 pcs |

Reusable Cables

Reusable Neutral electrode Cable with embossed lot number for easy tracking.

| | Code | Cable length | Connector |
|--|--------------------|--------------|------------------------|
| | NEK300A NEK500A | 3 m 5 m | REM™ (Valleylab™) |
| THE PARTY OF THE P | NEK300D NEK500D | 3 m 5 m | 6,3 mm jack (Standard) |
| | NEK300H NEK500H | 3 m 5 m | 6,3 mm jack (Erbe) |

