

Product Catalogue

- ECG electrodes
- Defibrillation electrodes
- Neutral electrodes



• Eannin

ECG electrodes

Decades of experience and ongoing customer collaborations have made Skintact[®] ECG electrodes an industry standard.

Excellent quality ECG recordings are dependent on three main factors: good skin preparation, superior quality electrodes, and a continuous unbroken electrical pathway from the skin to the ECG machine.

Electrodes often have to perform under very strenuous conditions, therefore at Leonhard Lang we dedicate valuable time and attention to the design and construction of our electrodes; we then carefully select only the finest quality materials and component parts to produce them.

Uniquely, we design and build our own machines that are state of the art in manufacturing technology ensuring you quality products that are second to none. "Connect with quality" is our motto and our goal is to provide you with consistently reliable products.

Skintact[®]

Neutral electrodes

Conductive Gels

Electrodes for short-term ECG significantly differ from those for long-term monitoring. Therefore, we have created a selection of conductive gels to meet the specific applications. These gels combine first-class response with reliable conduction quality with high skin-friendliness.



Aqua-Wet Gel = LIQUID GEL Our Aqua-Wet Gel ensures particularly fast signal pick-up at the start of the ECG, regardless of skin preparation. Skintact® ECG electrodes with Aqua-Wet Gel are the best choice for short-term applications.



Aqua-Tac Gel = SOLID GEL Skintact® ECG electrodes with Aqua-Tac gel are used for both long-term and short- term applications. They can be removed from the skin without leaving any residue.



Aqua-Set Gel = SOLID WET GEL Our Aqua-Set Gel combines the advantages of liquid and solid gel. Its special formula guarantees excellent electrical conductivity. The water content of Aqua-Set Gel ensures rapid reduction of skin resistance.

Backing material

⊘ PE foam

Demanding conditions, such as use in emergency care or for stress tests challenge the stability and reliability of ECG electrodes. Leonhard Lang's PE foams are the right choice - they are impermeable to liquids and thus protecting the sensor and gel. The thin PE material allows maximum flexibility.

⊘ Microporous Tape

The skin-friendly, microporous tape adapts well to the contours of the body and thus increases wearing comfort. It also allows moisture to pass through. Skintact® ECG electrodes with microporous tape allow the skin to breathe and transpire – which is particularly important for long-term applications.

⊘ Soft Cloth Backing

Skintact[®] ECG electrodes made of soft cloth backing offer all the advantages of nonwoven electrodes, but with significantly increased elasticity. Thus, they adapt well to body movements. Electrodes made of soft cloth backing offer a high level of wearing comfort for longterm applications and adhere reliably even to active patients.

🔗 Clear Tape

The clear tape is transparent. The patient's skin can therefore be observed during the entire wearing period.

Clear tape reliably protects the sensor area against liquids.

All our Skintact[®] products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact[®] ECG electrodes comply with standard ANSI/AAMI EC12 for ECG electrodes, ISO 10993 for biocompatibility, and the European Medical Device Regulation (MDR).





Stress Test & Holter

✓ Bonding safe

Skintact[®] stress test electrodes with reinforced adhesive hold reliably. Even when patients transpire heavily. The PE foam backing is also impermeable to liquids. The ECG electrodes are therefore also suitable for echocardiograms.

✓ Comfortable to wear

The particularly skin-friendly Skintact[®] ECG electrodes T-604 B and T-VO01 allow the skin to breathe and ensure excellent wearing comfort, especially during prolonged wear.

Easy to handle

The easy-to-open pouch and the peel-off aid of each Skintact® ECG electrode facilitate daily handling. On the Skintact® offset electrodes, the cables can be connected even more conveniently and reduce the risk of squeezing gel onto the electrode surface.

Innovative electrode technology

The adhesive ring of the T-VO01 made of PE foam protects the gel area and provides additional adhesive strength. In combination with the offset connection it significantly reduces motion artifacts.

✓ The PVC-free variant

Like all Skintact ECG electrodes also the Skintact offset electrodes are PVC-free.

	Code	Note	Recommended use	Backing	Adhesive	Gel	Dimensions
send a stream b stream b the area the area distance the area stream b stream b strea	T-V001	Premium electrode with offset connection and with foam ring around gel surface; breathable backing material	Holter, Event Recording	Microporous Tape	••	LIQUID GEL	66 x 60 mm
	T-V002	Premium electrode with offset connection and with foam ring around gel surface; breathable backing material.	Holter, Event Recording	Microporous Tape	••	LIQUID GEL	Ø 72 mm

Packaging					
T-V001 T-V002	30/pouch	300/box	1800/case		





Resting ECG

Second Conductivity

Skintact[®] Easitabs provide reliable signals with the Aqua-Tac hydrogel. The Easitab FS-WB00 and FS-WA00 electrodes are particularly suitable for resting ECG especially under demanding conditions.

➢ Bonding safe and convenient

All Skintact[®] Easitabs feel soft and stick absolutely reliably. Nevertheless, they are removed after application without irritation or loss of hair.

Superior Safety

Proper use of Skintact[®] Easitabs eliminates cross infection whereas suction electrode bred bacteria and fungi.

	Code	Note	Backing	Adhesive		
sommer 25	RT14	Easitab, 10 pcs / card	Paper/PET	••	SOLID WET GEL	34 x 14 mm
not Skintact Structures to the second structure structur	RT38	Easitab, 10 pcs / card	Paper/PET	••	SOLID WET GEL	
Skintact Skint Skintact Skint	RT74	Easitab, 10 pcs / card	Paper/PET	••	SOLID WET GEL	34 x 26 mm
A service and a	FS-WA00/10	Easitab, for particularly demanding conditions, 10 pcs / card	PE foam	•••	LIQUID GEL	
Skintact = Wijstan act = Skintact = Wijstan act = Skintact =	FS-WB00/10	Easitab, for particularly demanding conditions, 10 pcs / card	PE foam	•••	LIQUID GEL	37 x 28 mm
Sairtadi a unita tanja unita tanja unita tanja Sairtadi a	FS-RB4/5	With adapter for 4mm banana plug, 5 pcs / card	PE foam	•••	LIQUID GEL	

	Packaging		
RT14 RT34	100/pouch	500/box	5000/case
RT74 FS-WA00	50/pouch	500/box	3000/case
FS-WB00/10	100/pouch	500/box	3000/case
FS-RB4 /5	50/pouch	1500/box	6000/case





Monitoring

Adhere even better

Skintact® electrodes for monitoring ECG are available with standard adhesive or with reinforced adhesive – product names starting with "FS-".

Easy to handle

An easy-to-open pouch and the peel-off aid for easy use.

✓ Water repellent

All foam ECG electrodes are impermeable to liquids and thus protect the sensor.

	Code	Note	Backing	Adhesive	Gel	Dimensions
antia : Bistoria Bistoria : Bistoria : Vota IV	T-60	More comfort for patients due to breathable backing material, ideal for long-term monitoring	Microporous Tape	••	LIQUID GEL	Ø 60 mm
in Blance Blance Blance Blance Ver Blance	W-601	More comfort for patients due to breathable backing material, ideal for long-term monitoring	Soft Cloth	••	SOLID GEL	Ø 50 mm

	Packaging		
W-601	30/pouch	1500/box	6000/case
T-60	30/pouch	1200/box	4800/case



ECG electrodes

Universal

✓ Lower costs

Our Skintact® ECG electrodes on cards of 6 or 10 pieces offer the usual Leonhard Lang quality at reasonable prices.

SKINTA

KINTAC

⊘ Fast and comfortable

These electrodes come on cards of 6 or 10 pieces. A perforation makes two handy strips from one card.

➢ Feel free to leave the gloves on

The label material overlaps the electrode and creates a lift tab which allows the clinical staff to handle the electrode easily even when wearing surgical gloves.

	Code		Note		Backing	Adhesive	Gel	Dimensions
Alternation and a structure an	FS-RG1/10	Also availal	ble on card of 6 (I	FS-RG1/6)	PE foam	••	LIQUID GEL	41 x 32mm
r 1928 r 2010 r 2	FS-TC1/10	Also availal	ble on card of 6 (I	FS-TC1/6)	PE foam	•••	SOLID GEL	41 x 35mm
		Packaging						
FS-RG1/1	0 FS-TC1 /10	50/pouch	1500/box	6000/case				





MR-conditional & radiotranslucent

✓ Carbon snaps save time and costs

MR-conditional Skintact[®] ECG electrodes are equipped with carbon snaps. This saves time and costs: If the electrodes have already been applied, they do not have to be removed before X-ray or MRI examinations.

Skintact[®] Tab ,N' Snap – Two connection systems

Skintact® Tab ,N' Snap are equipped with two connection systems. This means that the electrodes do not need to be exchanged when the patient is handed over.

	Code	Note	Backing	Adhesive	Gel	Dimensions
Handle Thermony of the Annual Control of the	FS -WA10C	Premium electrode with Tab'n'Snap connection, X-ray/MR conditional, 10 pcs/ card	PE foam	•••	SOLID GEL	32 x 45mm
preurops a low management preurops a low management preurops a low management and and a low management a generation a generation and a low management a generation a generation a low management a generation a generati	FS-RGC /10	Universal use for adults and children, X-ray/MR conditional, 10 pcs/ card	PE foam	•••	LIQUID GEL	41 x 32mm

Packaging						
W-130C /3 FS-RGC /10	30/pouch	1500/box	6000/case			
FS -WA10C	50/pouch	1500/box	6000/case			





✓ Size and adhesive for pediatrics

Skintact[®] ECG electrodes for pediatrics and neonates are available in smaller sizes and with a gentle adhesive.

⊘ With an optional carbon snap

Thanks to our wide product range, children's ECG electrodes are also available with the option of a carbon snap or a offset connector.

Pre-wired

For neonates, we offer pre-wired electrodes to avoid pressure necroses.

	Code	Note	Backing	Adhesive	Gel	Dimensions
LUNS	F-301	for pediatrics and neonates	PE foam	••	SOLID GEL	Ø 30 mm
ANTISE II. CESSIONET SUMMER SUMMER SUMMER SUMMER SUMMER SUMMER SUMMER	F-VK01	with offset connection	PE foam	••	LIQUID GEL	45 x 30mm
- HUPS S - T Skintaet - Server Jon - Skintaet F - UPS S Jon -	W-401	Breathable backing material	Soft Cloth	••	SOLID GEL	Ø 40 mm
000	PD50-SF (150)	With pre-attached 50 cm copper leads with safety plug	Soft Cloth	••	SOLID GEL	24 x 23 mm
ରରର	PD50-SFC	With pre-attached 50 cm carbon leads with safety plug, suitable for use during x-ray	Soft Cloth	••	SOLID GEL	24 x 23 mm

Packaging							
F301 W-401 W-130C /3	30/pouch	1500/box					
PD50-SF (150) PD50-SFC PDF4C	3/pouch	150/box					
F-VK01	50/box	500/box	3000/case				



Fannin

Defibrillation Checker Cohes our Skintact[®] defibrillation electrodes.



In emergency cases not only the clinician's skills are required but also reliable ranges of life saving products like defibrillation electrodes. These products must perform dependably, even under adverse conditions as every second may count. Leonhard Lang's engineering team has developed reliable and safe multifunctional defibrillation electrodes. They can be used for external defibrillation, non-invasive pacing, synchronized cardioversion and monitoring. Advantages of Skintact[®] defibrillation electrodes:

- Overlapping gel elimination of tin edge exposure minimises the risk of burns
- Adhesion even on perspiring skin
- Maximum contact area and minimum impedance reduce thermal and mechanical stress on the skin
- Multifunctional the electrodes do not need to be changed for different applications.





Quality assurance Each set is tested individually.



Clear application instructions Clear, two-color instructions for the correct placement of the electrodes.

Quick and easy An extended peel-off aid facilitates application and removal.

All our Skintact[®] products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact[®] Easibeat Multifunction Defibrillation electrodes meet the relevant clauses of IEC 60601-2-4 for Cardiac Defibrillators, and do comply with ISO 10993 for biocompatibility and the European Medical Device Regulation (MDR).





Easibeat Multifunctional Defibrillation electrodes for Adults

Sused for external defibrillation, non-invasive pacing, synchronized cardioversion, and monitoring for adults and children.

	Code	Connector compatible with	Cable length
	DF20N	Physio – Control: Lifepak 12, Lifepak 15, Lifepak 20/20e, Lifepak 500, Lifepak 1000, Comen S1, Comen S5, Comen S8	1,2 m
	DF20NC	Physio – Control – preconnect: Lifepak 12, Lifepak 15, Lifepak 20/20e, Lifepak 500, Lifepak 1000	1,2 m
	DF27N	Philips Heartstart: FR2, FR2+, FR3 (electrode self-test is not supported) With adapter cable M3508A or With adapter cable M3507A and adapter 05- 10200: Philips Heartstart MRx, XL, XL+ / Efficia DFM100	2,0 m
No.	DF28N	Zoll: E Series, M Series, R Series, X Series	1,2 m
	DF28NC	Zoll – preconnect: E Series, M Series, R Series, X Series	1,2 m
	DF27NC	Philips Heartstart - preconnect: FR2, FR2+, FR3 (electrode self-test is not supported) With adapter cable M3508A or With adapter cable M3507A and adapter 05-10200: Philips Heartstart MRx, XL, XL+ / Efficia DFM100	2,0 m

	Packaging		
all SKINTACT® Easibeat Multifunction Defibrillation electrodes	1/pouch	10/box	60/case



Fannin

Easibeat Multifunctional Defibrillation electrodes for pediatrics

Sused for external defibrillation, non-invasive pacing, synchronized cardioversion and monitoring of pediatric patients.

	Code	Connector compatible with	Cable length
(Charles)	DF31G	Physio – Control: Lifepak 12, Lifepak 15, Lifepak 20/20e	1,2 m
-	DF32G	Philips Heartstart: With adapter cable M3508A or With adapter cable M3507A and adapter 05- 10200: Philips Heartstart MRx, XL, XL+ / Efficia DFM100	1,2 m
Vere and a second	DF30G	Zoll: E Series, M Series, R Series, X Series	1,2 m
A.	DF37G	Nihon Kohden: With pad adaptor JC-755V: TEC-5500 Series, TEC-7600 Series, TEC-7700 Series With pad adaptor JC-855V: TEC-8300 Series	2,0 m
	Packaging		

all SKINTACT® Easibeat Multifunction Defibrillation 1/pouch 10/box 60/case electrodes



Skintact® Neutral electrodes

Especially in electrosurgical procedures, it is important that electrodes and accessories provide absolute safety.

一般



Advantages of Skintact® neutral electrodes:

- Skintact[®] Cool Contact neutral electrodes are available for adults and children, split and unsplit, with or without a preattached cable.
- The unique overlapping gel technology minimizes the risk of burns due to elimination of aluminum edge exposure.
- The round leading edge geometry of universal Neutral electrodes disperses current more efficiently thus maintaining a cooler interface between patient and neutral electrode.
- ⊘ The peel-off aid allows easy removing from its cover or the patient's skin.
- The flexible, thin foam of the RS and RO series and the lowprofile fabric of the WR series are impermeable to liquids. They adapt to the body surface and provide safety.
- Ouplex labels reduce the documentation effort.



All our Skintact[®] products are tested according to applicable standards, ensuring maximum safety and reliable performance.

Skintact[®] Cool Contact Electrosurgical Neutral electrodes meet the relevant clauses of IEC 60601-2-2 for high frequency surgical equipment, and do comply with ISO 10993 for biocompatibility and with the Medical Device Directive (MDD). The transition to comply to the European Medical Device Regulation (MDR) is initiated and will be performed soon.



Defibrillation electrodes



Neutral electrodes

	Code	Туре	Size	Weight Limit	Conductive Area
-	WR21	split	universal	> 5 kg	90 cm ²
	RWS25/5	split	adult	> 15 kg	118 cm²

Neutral electrodes with cables

	Code	Туре	Sizel	Weight Limit	Conductive Area
I	WR21A30	split	universal	> 5 kg	
<u> </u>	RS26A30**	split	paediatric	5 - 15 kg	66 cm²

* On request we also offer Neutral electrodes for specific types with 5m cable. ** Power & Current Information: maximum 120 Watt

Packaging				
for all SKINTACT [®] Neutral electrodes	1/pouch	50/box		
for all SKINTACT® Neutral electrodes with Code /5	5/pouch	50/box		





Tip Cleaner

- Single use eliminates risk of cross infection Sterile, easy to open packaging
- ✓ More cost effective than cleaning reusable versions

Code	Info	Quantity per box
TC 1001	Sterile Tip Cleaner	100 pcs

Reusable Cables

✓ Reusable Neutral electrode Cable with embossed lot number for easy tracking.

Code	Cable length	Connector
NEK300A NEK500A	3 m 5 m	REM™ (Valleylab™)
NEK300D NEK500D	3 m 5 m	6,3 mm jack (Standard)
NEK300H NEK500H	3 m 5 m	6,3 mm jack (Erbe)



σсс ΫΙΤΑL

Head Office

Fannin House South County Business Park Leopardstown Dublin 18 D18 Y0C9 Ireland

Contact Us





Fannin (UK) Ltd Fernhouse - Suite 3 Daniels Industrial Estate Stroud GL5 3TJ

T: +44 1453 874130 serviceuk@fannin.eu www.fannin.eu

www.dccvital.com