



Premium Hospital Beds

MATRIX E40



1



2



3



4



1 Handset Control

Highly shock resistant.
Portable control powered by an extendable helical cable.

Allows the following positions:

- Back and Legs
- Height
- Reverse Trendelenburg
- Cardiac Chair
- Examination
- Rest

3 Foot Controls

Used bilaterally, it makes it possible to position the bed with hands free for more effective treatments.

Allows the following positions:

- Height
- Cardiac Chair
- CPR

2 Nurse Control

Located in a drawer at the foot of the bed and recessed in the foot of the bed panel. With selective locks as protection against accidental or improper use. Powered by an extendable helical cable.

Equipped with LED to indicate:

- Battery state
- Selective lock

Allows the following positions:

- Back and Legs
- Auto Contour
- Height
- Trendelenburg and Reverse
- Cardiac Chair
- Examination
- Shock
- CPR

4 Built-In Controls

Integrated in the upper side rails, they are composed of 2 caregiver and 2 patient controls. Activation by GO button and selective locks as protection against misuse.

Equipped with LED to indicate:

- Battery state
- Selective lock
- GO button

Allows the following positions:

- Back and Legs
- Height
- Trendelenburg and Reverse
- Cardiac Chair
- Examination
- Shock
- CPR
- 30° Back
- Night Light


Cardiac Chair

Automatically performs, by the activation of a single button, the sitting position. Improves respiratory function and facilitate the administration of medication and the practice of autonomous activities.



Examination

Automatically performs, by the activation of a single button, the position of maximum height and levels the mattress platform. Ensures an ergonomically correct posture for carers during examinations and treatments.



Shock

It performs automatically, by the activation of a single button, the Trendelenburg position and levels the mattress platform. Used to reverse hypoxic episodes in vital organs.



CPR

Automatically sets the minimum height position and levels the mattress platform at the push of a single button. Ensures correct posture for patient and caregivers during cardiopulmonary resuscitation manoeuvres.



3 STEPS OF EARLY MOBILITY

1 Stabilization

30° Back Function
Breath Well



Angle Gauges
Precise Medical Positions

2 Verticalization

Seated Position
High Backrest



Reverse Trendelenburg
Set the Uprising

3 Mobilisation

Rails Handgrip
Safe Movements



Low Minimum Height
Easy Bed Exit/Entry

3 STEPS OF EARLY MOBILITY
Better Outcomes




Double Autoregression

The articulation of the mattress platform (back + legs) causes harmful muscular pressure in the abdominal and lumbar areas. By lifting the back and leg articulations, they simultaneously perform a synchronised horizontal glide

Pressure Ulcer Prevention

The double autoregression of the back and leg articulations causes decompression and relief of the sacroiliac area, a critical point in the development of pressure ulcers.




ENHANCED SAFETY

Fall Prevention

Night Light

Matrix E40 model has a night light option that facilitates patient orientation in low light environments. Bicoloured light, it changes its colour when at minimum height, thus allowing a quick check whether the bed is in the safe sleeping position.



ENHANCED SAFETY

Fall Prevention



EN 60601-2-52 Standard

Side rails comply with EN 60601-2-52.

They prevent and avoid the risk of injuries caused by accidental falls through high side coverage.

Self-Confidence

The bed has features designed to help in the recovery such as the design of the split side rails, so that only one rail is lowered, helping in the exit of the bed, or the automatic stop in the best bed exit height.



Zero Gap

When folded down, the side rails fold out from under the bed. This allows a stretcher to be placed against the bed and the patient to be safely transferred, facilitates patient entry and exit and does not disturb medical interventions.



ENHANCED SAFETY

Emergency Procedures

Endotracheal Intubation

The bed end panels are vertically removable. However, the headboard support structure is fixed to the base, allowing unobstructed intubation. By raising the mattress platform to the Examination position with a single button, removal of the panel becomes unnecessary.



Selective Locking

The electrical functions of the bed can be selectively disabled for reasons of functional convenience or safeguarding the patient's health, the exception being the emergency functions, which are not affected by selective locking.



Manual CPR

The bed has bilateral quick-folding handles on the back section for cardiopulmonary resuscitation manoeuvres. They are located at the apexes of the back section for easy access and use.



INFECTION CONTROL

Hospitality



Mattress Platform

The bed frame consists of 11 modular components made of plastic (PPC) or 4 phenolic panels (HPL). All the components can be extracted for cleaning using a quick-lock system

Support Drawer

The foot panel has an optional, telescopic-opening, retractable linen holder to support the bed changing service.



One Hand Bed Extension

One-handed adjustable foot panel, allowing for quick and easy extension of the bed.
Telescopic mattress support grid, allowing the extension to be maintained with the articulated foot section


LIGHT HANDLING

Emergency Procedures

X-Ray Cassette Holder

Matrix E40 has the option of incorporating an X-ray cassette holder in the back section.

The cassette-holder is telescopic and of total extraction out of the back area of the bed, covered by a panel in phenolic (HPL). It has adjustment rulers for various cassette sizes, brands and models



LIGHT HANDLING

Easier Transport



1 Power Cable Protection

Power cables damaged by transport is one of the most frequent malfunctions in electric hospital beds.

Matrix E40 is equipped with a convenient portable cable holder to fit on top of the head panel in addition to the fixed frame reel.

2 Batteries

Beds equipped with a battery system to maintain the operation of the bed when disconnected from the power supply. For long autonomy, we have the option of a high-performance lithium battery.

When connected to the power supply, it electronically manages the charging, making it unnecessary to disconnect the power socket once the batteries are charged. Certified with electrical surge protection and anti-static wheel option.

3 Total Disinfection

The design of the bed has been conceived to facilitate the cleaning process. Reducing as far as possible the points where dirt accumulates.



Transport Handgrips

The bed end panels design incorporates handgrips so the caregivers have a smooth and easy transport handling.



Brake Bar

Option of bed equipped with cross-brake bar, with centralised braking on all 4 wheels and directional lock on one.



Transport Locks

The bed end panels have buttons to block their removal, ensuring safer transport for patients and caregivers.



Brake Pedals

Bed equipped with brake pedals, with centralised braking on all 4 wheels and directional lock on one.



Fifth Wheel

System that improves the manoeuvrability of the bed in tight spaces by rotating 360° on a vertical axis.

For movement in a straight line, the drive is carried out on the brake pedals in directional lock position.

LIGHT HANDLING

Easier Transport



- 1 Integral double ABS Ø150mm
 - 2 Integral Smart single ABS Ø150mm
 - 3 Zinc steel single Ø150mm
- ABS casters available in anti-static version

Brake Alarm

Available as an option, it is triggered when you unlock the bed without first removing the plug from the building's power socket.

This function considerably reduces bed maintenance costs.

Barriers Decoration

Availability of non standard finishes on request.



TECHNICAL FEATURES

Model 944.E4

		Standard	Optional	Extra
Standard - feature included as standard. Optional - choose from various options. Extra - feature not included as standard.				
Structure	Bed frame with lpx4 protection	●		
	Robust metal frame epoxy painted	●		
	Mobile components zinc plated or/and stainless steel	●		
	Headboard frame fixed to base	●		
	Corners protected by soft bumpers	●		
	Bilateral foley bag hooks	●		
Mattress Platform	4 sections bed frame (3 articulated + 1 fixed)	●		
	Modular PPC panels extractable for cleaning		●	
	Phenolic (HPL) panels extractable for cleaning		●	
	Double autoregression	●		
	Flexible mattress shoulders	●		
	Bilateral levers for a quick manual CPR release	●		
	Foot section manually adjustable by a mechanical rack	●		
	X-ray cassette holder and radiolucent HPL backrest			●

TECHNICAL FEATURES

Model 944.E4

		Standard	Optional	Extra			Standard	Optional	Extra
Standard - feature included as standard.					Standard - feature included as standard.				
Optional - choose from various options.					Optional - choose from various options.				
Extra - feature not included as standard.					Extra - feature not included as standard.				
Base	Open design base to prevent dirt build-up	●			Side Rails	Splitted, in HDPE medical (High Density Polyethylene)	●		
	Base corners protected by plastic fairings	●				Backrest and Trendelenburg angle gauge	●		
	Integral Ø150mm ABS double casters		●			Collapsible and folding system Gap Zero	●		
	Integral Smart Ø150mm ABS casters		●			Soft drop released by red handle	●		
	Ø150mm zinc steel casters		●						
	Central locking and steering control pedal		●		Electric Setup	Motions managed by a microprocessed unit	●		
	Central locking and steering control bar		●			Low voltage motors DC24V (4 linear actuators)	●		
	Adjustable fifth wheel			●		Gel batteries with discharge alarm		●	
	Anti-static wheel			●		Lithium batteries with discharge alarm		●	
	Brake alarm			●		Cable holder for transport	●		
Head/Foot Boards	In HDPE medical (High Density Polyethylene)	●			Control	Side rails built-in controls (2 exterior + 2 interior)		●	
	Easily removable	●				Handset control with extendable helical cable		●	
	Transport lockers (removed on demand)	●				Nurse control with extendable helical cable		●	
	One hand mattress platform extension	●				Bilateral foot control			●
	Foot end with rack for nurse control support	●				Bicoloured night light (rest position)			●
	Linen holder drawer			●					

BED ACCESSORIES

IV Pole



Serum support Stainless steel column Adjustable rod with 4 hooks	910.104i
Serum support Epoxy painted column Adjustable rod with 4 hooks	910.104




Support for 2 crutches Rubber fitting Epoxy painted structure Removable and adjustable	910.570
---	---------

Crutches Holder

Lifting Trapezee



Patient lifting Stainless steel column Trapezee with adjustable handle	910.200
Patient lifting Stainless steel column Trapezee with auto-adjustable handle	910.201



Foldable writing tray Epoxy painted structure Top in phenolic (HPL)	910.806
---	---------

Writing Tray

O2 Tank Holder



Support for oxygen tank Fitting on the corners of the bed In stainless steel	910.530
--	---------



Support for urinal Calibrated stainless steel rod construction Removable and adjustable	910.019
Bilateral DIN bar for accessories 4 sliding hooks included	Optional

Urinal Holder

Monitor Stand



Support for monitor with straps Epoxy painted structure Foldable top in phenolic (HPL)	910.810
--	---------



Simple traction frame Fit at the foot of the bed Weights and cables not included	910.423
--	---------

Traction Frame

MATRIX E40

* Ø150mm ABS caster, PPC frame

Dimensions +/- 5%

Recommended mattress dimensions	1970 x 860 x 120/150 mm
External dimensions	2195 x 1000 mm
Width with raised siderails	1028 mm
Min/Max height	390/763 mm*

Joints +/- 5%

Maximum back incline		70°
Maximum Cardiac Chair		90°
Maximum leg incline		40°
Maximum foot lowering		25°
Maximum incline	Trendelenburg	17°
	Reverse Trendelenburg	17°

Capacities +/- 5%

Maximum weight (SWL)	250 Kg
Power supply	100-240 VAC, 50/60 Hz
Control unit power	390 VA
Battery charge	18 W
Electrical protection	Class 1 Applied parts type B




IMO - Indústrias Metalúrgicas, S.A.

Headquarters

Rua Dr. Aurélio Teixeira de Sousa, 575
4650-312 Rande Portugal
T. +351 255 340 220
sede@imo.com.pt

Showroom

Av. Defensores de Chaves, 87A
1000-115 Lisboa Portugal
T. +351 217 963 478
lisboa@imo.com.pt



www.imo.com.pt